www.aluminiumdoorsdirect.co.uk

ALUMINIUM
DOORS DIRECT LTD

Part of the Northwich Glass Group

Sliding Doors



Sliding Doors

Our sliding doors offer a strong yet refined solution for maximising clear, unobstructed views with expansive glass panels. Designed with precision-engineered gearing, it ensures effortless, quiet sliding, delivering smooth operation without compromising on performance or style.

Technical Specification

Within height and weight limitations


Max sash height 2500mm

Max sash weight 250KG


Products within these recommended design limitations have been independently performance tested. Other sizes outside of these parameters may be available depending on localised conditions.

Configurations

Dual Track



Triple Track




Key Benefits

- Quick Glaze Bead as standard (not available with slim interlock)
- 60-micron powder coated paint finish with a 25-year Qualicoat guarantee *Location dependent
- Upgrade to PAS 24 available
- Fully Document L Compliant
- 35mm slim interlock option
- Lift and slide option
- 1.4 U Value can be achieved with a unit that has a centre pane of 1.0
- Choice of cill sizes
- Add ons in 42mm
- Trickle vents will always be fitted in 42mm add on to the head
- 3 Star cylinder upgrade available




Interlock Sightlines

Standard Interlock




Slim Interlock




Threshold Options

Twin Track Outer Frame Options

Standard







Extended Leg

Triple Track Outer Frame Options

Standard





Extended Leg

Handle & Security Upgrade Options

Standard Handle



Standard Handle Colour Options

- Black
- White
- Polished Gold
- Grey
- Polished Chrome
- Satin Chrome

Premium Handle



Only available in stainless steel

High Security Handles (PAS24)



Finger Pull Handle



Pull Bar and Escutcheon



ALUMINIUM
DOORS DIRECT LTD
Part of the Northwich Glass Group

Leicester Street, Northwich, Cheshire, CW9 5HW

Email matthewl@northwichglass.co.uk

www.aluminiumdoorsdirect.co.uk