GLIDELINE

ASPECT SLIDING DOOR

CENSOLUTIONS LTD CMS MARK BS EN 14351 COMPLIANT

UK CA

CE

MADE IN BRITAIN



SPECIFICATION

CONFIGURATIONS
MONO, 2 TRACK, 3 TRACK, QUAD TRACK

SIGHTLINES
INTERLOCK 15 MM OR 25MM

GLAZING
MAX. 36 MM


MAXIMUM SASH DIMENSIONS
15MM INTERLOCK: WIDTH (L) 2200 MM, HEIGHT (H) 2500 MM
25MM INTERLOCK: WIDTH (L) 2500 MM, HEIGHT (H) 2800 MM

MAXIMUM SASH WEIGHT
SLIDE 280 KG

COLOUR
POWDER COATING RAL FINISH
STANDARD 7016M, 9005M, 9016G
AVAILABLE IN 150+ RAL FINISHES
TEXTURED FINISH AVAILABLE
SPLIT COLOR FOR INTERIOR/EXTERIOR
WOOD EFFECT POWDER COATING
ANODIZED ALUMINIUM



Double glazing



Triple glazing

FEATURES

		Double glazing	Triple glazing
U value (I)		Uw from 1.3 (W/m²K)	Uw ≥ 1.0 (W/m²K)
Acoustic insulation		Rw up to 39 dB	
Air permeability		Class 3* / 4**	
Water tightness		Class 7A	
Wind resistance		Class C5* / C2**	
Security test	PAS24	Passed	

Double glazing Ug=1.0 / Triple glazing Ug=0.7
(I) Two sashes 4 m x 2.5 m

BEADED SYSTEM

FLUSH STACKING

INTEGRATED DRAINAGE


36MM GLAZING CAPACITY

UP TO 4 TRACKS


ADJUSTABLE WHEELS

CONFIGURATIONS


2 PANE




3 PANE




4 PANE




QUAD TRACK




1 PANE POCKET




2 PANE POCKET



2 PANE POCKET



4 PANE POCKET



BEADED SYSTEM

GLASS CAN BE RETRO FITTED WITH GLAZING BEADS

FLUSH STACKING

PANELS CAN STACK IN A NEAT LINE

INTEGRATED DRAINAGE

INTEGRATED DRAINAGE FOR FLUSH THRESHOLDS

36MM GLAZING CAPACITY

DOUBLE OR TRIPLE GLAZING UP TO 36MM

UP TO 4 TRACKS

FROM 1-4 TRACKS OR 1-8 PANELS

ADJUSTABLE WHEELS

PLUS OR MINUS 4MM ADJUSTMENT

15MM INTERLOCK GLAZING

Height (m)	1.0 m width	1.6 m width	2.2 m width
2.1m high	6 mm	6 mm	8 mm
2.2m high	6 mm	6 mm	8 mm
2.3m high	6 mm	8 mm	8 mm
2.4m high	8 mm	8 mm	8 mm
2.5m high	8 mm	10mm	N/A

25MM INTERLOCK GLAZING

Height (m)	1.0 m width	1.5 m width	2.0 m width	2.5 m width
2.1m high	6 mm	6 mm	6 mm	6 mm
2.2m high	6 mm	6 mm	6 mm	6 mm
2.3m high	6 mm	6 mm	6 mm	6 mm
2.4m high	6 mm	6 mm	6 mm	8 mm
2.5m high	8 mm	8 mm	8 mm	8 mm
2.6m high	8 mm	8 mm	8 mm	N/A
2.7m high	8 mm	8 mm	8 mm	N/A
2.8m high	8 mm	8 mm	8 mm	N/A

HARDWARE



ASPECT FLIP HANDLE

THE ASPECT FLIP HANDLE IS ENGINEERED TO WORK SEAMLESSLY WITH OUR SLIDING DOOR SYSTEMS. ITS SLEEK PIVOTING DESIGN MAINTAINS THE CLEAN AESTHETIC WHILE DELIVERING EFFORTLESS, SPACE-SAVING OPERATION.

- COMPACT PROFILE – LOW-PROJECTION FLIP MECHANISM THAT SITS NEATLY AGAINST THE FRAME.
- SMOOTH OPERATION – PRECISION-ENGINEERED PIVOT FOR A COMFORTABLE, FLUID ACTION.
- DURABLE FINISH – AVAILABLE IN ALL STANDARD COLOURS, PLUS ANY RAL TO PERFECTLY MATCH YOUR FRAME.
- PERFECT COMPATIBILITY – DESIGNED TO PAIR FLAWLESSLY WITH THE ASPECT 1SLIDING SYSTEM.



GREY 7016 **BLACK** 9005 **WHITE** 9016 **LIGHT** SLIVER **DARK** SLIVER **CUSTOM** RAL



HARDWARE

ASPECT FLUSH HANDLE

THE ASPECT FLUSH HANDLE IS DESIGNED FOR SEAMLESS INTEGRATION WITH OUR SLIDING DOOR SYSTEMS. ITS SLIM, RECESSED PROFILE MAINTAINS THE CLEAN SIGHTLINE AESTHETIC WHILE OFFERING SMOOTH, ERGONOMIC OPERATION.

- DISCREET DESIGN – FLUSH FINISH THAT BLENDS WITH THE FRAME FOR A MINIMAL LOOK.
- EFFORTLESS FUNCTIONALITY – ENGINEERED FOR COMFORTABLE GRIP AND SMOOTH OPERATION.
- DURABLE FINISH – AVAILABLE IN A WIDE RANGE OF COLOURS, INCLUDING ANY RAL TO MATCH YOUR FRAME.
- PERFECT COMPATIBILITY – DESIGNED TO COMPLEMENT THE ASPECT SLIDING SYSTEM.







GREY 7016 | **BLACK** 9005 | **WHITE** 9016 | **LIGHT** SLIVER | **DARK** SLIVER | **CUSTOM** RAL

VENTILATION



VENTILATION

THE GLIDELINE ASPECT SYSTEM INTRODUCES AN ADVANCED VENTILATION FUNCTION — COMBINING COMFORT, PERFORMANCE, AND PEACE OF MIND.

WITH A SIMPLE HALF-TURN OF THE HANDLE, THE DOOR ENTERS A CONTROLLED VENTILATION MODE THAT ALLOWS FRESH AIR TO CIRCULATE NATURALLY THROUGHOUT YOUR HOME. THIS HELPS REDUCE CONDENSATION AND MAINTAIN A COMFORTABLE INDOOR ENVIRONMENT — ALL WHILE THE DOOR REMAINS FIRMLY SECURED IN PLACE.

FOR FULL OPENING, SIMPLY ROTATE THE HANDLE 180°, RELEASING THE SASH INTO ITS SMOOTH-GLIDING MOTION. EVERY MOVEMENT FEELS EFFORTLESS — A REFLECTION OF GLIDELINE'S PRECISION ENGINEERING AND LONG-TERM RELIABILITY.

AVAILABLE EXCLUSIVELY WITH OUR **FLUSH** HANDLE OPTIONS.

THE VENTILATION FEATURE COMPLEMENTS THE ASPECT 1 AESTHETIC — OFFERING THE PERFECT BALANCE OF ELEGANCE & FUNCTIONALITY.



FLUSH TRICKLE VENTS

DISCREETLY BUILT INTO THE SASH, GLIDELINE'S FLUSH TRICKLE VENTS PROVIDE CONTINUOUS BACKGROUND VENTILATION WITHOUT DISRUPTING THE SYSTEM'S CLEAN, MINIMAL DESIGN. THE VENT SITS COMPLETELY FLUSH TO THE PROFILE, MAINTAINING SLEEK SIGHTLINES.

PRECISION-ENGINEERED FOR QUIET, EFFICIENT AIRFLOW, IT DELIVERS YEAR-ROUND COMFORT WITH SEAMLESS GLIDELINE DETAILING.




GLIDELINE